MOLECULAR PHYSICS, 1989, VOL. 66, NO. 6, 1291–1297

Index of Authors

with the titles of papers

AHLRICHS, R., *see* Kömel, C.
ALIOTTA, F., *see* Magazú, S.
ALONSO, J., *see* Alvarez, M.
ALVAREZ, M., BERMEJO, F. J., CHIEUX, P., ENCISO, E., GARCIA-HERNANDEZ, M., GARCIA, N., and ALONSO, J.: The equilibrium structure of highly polar molecular liquids. I. SO_2, 397
AMIOT, C., *see* Gustavsson, T.
AMREIN, A., *see* Ross, A. J.
ANDERSSON, O., ROSS, R. G., and BÄCKSTROM, G.: Thermal conductivity of crystalline and glassy crystal cyclohexanol under pressure, 619
ANDREANI, C., MERLO, V., RICCI, M. A., and BOLAND, B. C.: Vibrational density of states in polycrystalline sulphuric acid, 747
ANGLADA, J., BRUNA, P. J., and PEYERIMHOFF, S. D.: The electronic spectrum of ScH. An MRD-CI study, 541
ASHFOLD, M. N. R., TUTCHER, B., and WESTERN, C. M.: Rydberg states of the SH(SD) radical revealed by multiphoton ionization spectroscopy, 981

BÄCKSTROM, G., *see* Andersson, O.
BAILLEUL, S., and PORCHER, P.: Simulation of energy levels schemes and of some magnetic properties of divalent copper in tetragonal or pseudo tetragonal symmetries, 605
BAKHRAKH, V. L., *see* Vetchinkin, S. I.
BASILE, A. G., GRAY, C. G., NICKEL, B. G., and POLL, J. D.: Lineshapes in collision-induced absorption. Classical, quantum and semiclassical calculations for exactly solvable models, 961
BERMEJO, F. J., *see* Alvarez, M.
BERRY, M. T., and RICHARDSON, F. S.: Optical spectra and crystal-field analyses of samarium in the centrosymmetric hexakis(antipyrine)samarium(III) tri-iodide and tri-perchlorate systems, 703
BERRY, M. T., KIRBY, A. F., and RICHARDSON, F. S.: Vibronic transitions in the excitation and emission spectra of hexakis(antipyrine)europium(III) tri-iodide and tri-perchlorate crystals, 723
BIRNBAUM, G., *see* Dore, P.
BLUM, L., *see* Chan, K.-Y.
BODENHAUSEN, G., *see* Wimperis, S.
BOGEY, M., DEMUYNCK, C., and DESTOMBES, J. L.: Submillimetre wave spectra of the ^{13}C monosubstituted forms of CCH. Determination of the substitution structure, 955
BOLAND, B. C., *see* Andreani, C.
BORYSOW, J., FROMMHOLD, L., and KETO, J. W.: The third-order Raman spectrum of argon pairs, 221
BRAS, W., *see* van der Marel, C.
BREY, J. J., *see* Castaño, F.
BROOMFIELD, K., and LAMBERT, R. M.: Model studies of oxygen chemisorption on silver surfaces using an AgO_2 cluster, 421
BROWN, J. M., *see* Carrington, A.

BROWN, M. S., and FROMMHOLD, L.: Polarized light scattering from pairs of anisotropic linear molecules (H_2–H_2, D_2–D_2), 527
BRUNA, P. J., *see* Anglada, J.
BÜRGER, H., *see* Lattanzi, F.
BURIE, J., *see* Wlodarczak, G.
BURYKIN, B. N., *see* Oshtrakh, M. I.

CARRINGTON, A., MCNAB, I. R., and MONTGOMERIE, C. A.: Radiofrequency/infrared double resonance spectroscopy of the HD^+ ion, 519
CARRINGTON, A., MCNAB, I. R., MONTGOMERIE, C. A., and BROWN, J. M.: Microwave spectra of the HD^+ and D_2^+ ions at their dissociation limits, 1279
CASTAÑO, F., BREY, J. J., and SANTOS, A.: Nonclassical critical exponents in the mean spherical approximation, 695
CHAN, K.-Y., GUBBINS, K. E., HENDERSON, D., and BLUM, L.: Monte Carlo and simple theoretical calculations for ion–dipole mixtures, 299
CHIEUX, P., *see* Alvarez, M.
CHILD, M. S., *see* Lefebvre, R.
CHRISTMANN, K.: Invited Article. The interaction of hydrogen with metal surfaces of two-fold symmetry, 1
COHEN DE LARA, E. R.: Experimental and theoretical determination of vibrational frequency shifts of diatomic molecules adsorbed in NaA zeolite. Interaction potential and its derivatives with respect to the internal coordinate of H_2, D_2, N_2, O_2, 479
COONEY, W. R., THOMPSON, S. M., and GUBBINS, K. E.: Virial coefficients for the hard oblate spherocylinder fluid, 1269
COX, K. R., *see* Smit, B.
CROSS, K. J., *see* Norman, J. B.
CUSHMAN, J. H., *see* Schoen, M.

D'APRANO, A., *see* Magazú, S.
DEKOCK, B. W., *see* Polak, M.
DE LEEUW, S. W., *see* Petersen, H. G.
DEMAISON, J., *see* Wlodarczak, G.
DEMUYNCK, C., *see* Bogey, M.
DESTOMBES, J. L., *see* Bogey, M.
DICKINSON, A. S., *see* Wing-Ki Liu
DICKINSON, A. S., *see* Wong, C. C. K.
DICKINSON, E., and EUSTON, S. R.: Invited Article. Statistical study of a concentrated dispersion of deformable particles modelled as an assembly of cyclic lattice chains, 865
DIESTLER, D. J., *see* Schoen, M.
DI LAURO, C. M., *see* Lattanzi, F.
DONATO, D. I., *see* Magazú, S.
DORE, P., MORALDI, M., POLL, J. D., and BIRNBAUM, G.: Analysis of roto-translational absorption spectra induced in low density gases of non polar molecules. The methane case, 355
DORFMÜLLER, TH., *see* Mittag, U.

ENCISO, E., *see* Alvarez, M.
ENGDAHL, E., and MOISEYEV, N.: Perturbation analysis of gas-surface diffractive selective adsorption resonance states, 465
ERNST, R. R., *see* Radloff, C.
EUSTON, S. R., *see* Dickinson, E.
EVANS, W. A. B., *see* Powles, J. G.

FIELD, R. W., *see* Li Li
FIELD, R. W., *see* Norman, J. B.

FIRTH, N. C., KEANE, N. W., SMITH, D. J., and GRICE, R.: Reactive scattering of a supersonic fluorine atom beam: $F + I_2$, 1223
FISCHER, J., *see* Lotfi, A.
FOWLER, P. W., and STEINER, E.: Higher-order Sternheimer shieldings of the hydrogen atom, 797
FRANCISCO, J. S., *see* Gonzales, C.
FROMMHOLD, L., *see* Borysow, J.
FROMMHOLD, L., *see* Brown, M.S.
FRONEMAN, S., *see* Reynhardt, E. C.

GARCIA-CUESTA, I., MIRALLES-SABATER, J., SANCHEZ-DE-MERÁS, A. M., MERCHÁN, M., and NEBOT-GIL, I.: A MO-CI study on the π-coordinated interaction between palladium atom and acetylene, 659
GARCIA, N., *see* Alvarez, M.
GARCIA-HERNANDEZ, M., *see* Alvarez, M.
GERRITSEN, M., *see* Rijks, W.
GONZALES, C., SCHLEGEL, H. B., and FRANCISCO, J. S.: Multiple pathways for the direct formation of SiH_2 from the photodissociation of ethylsilane, 859
GRAY, C. G., *see* Basile, A. G.
GRAY, C. G., *see* Joslin, C. G.
GREENFIELD, M. S., VOLD, R. L., and VOLD, R. R.: Deuterium spin relaxation and guest motion in the *n*-nonadecane/urea clathrate, 269
GRICE, R., *see* Firth, N. C.
GRICE, R., *see* Jarvis, R. D.
GRUEBELE, M., *see* Polak, M.
GUBBINS, K. E., *see* Chan, K.-Y.
GUBBINS, K. E., *see* Cooney, W. R.
GUELACHVILI, G., *see* Lattanzi, F.
GUSTAVSSON, T., AMIOT, C., and VERGÈS, J.: Spectroscopic investigations of the diatomic molecule RbCs by means of laser-induced fluorescence. I. Rotational analysis of the $^1\Sigma^+$ ground state up to near dissociation (erratum), 539

HARRIS, R. K., and ROOT, A.: High-resolution phosphorus-31 N.M.R. studies of solid phosphorus pentachloride, 993
HAYMET, A. D. J., *see* Mann, M. E.
HEATON, N. J., and LUCKHURST, G. R.: Pretransitional behaviour in nematogens composed of flexible molecules. A molecular field theory, 65
HENDERSON, D., *see* Chan, K.-Y.
HENRY, L., *see* Lattanzi, F.
HERMAN, M., HUET, T. R., and VERVLOET, M.: Spectroscopy and vibrational couplings in the $3\nu_3$ region of acetylene, 333
HEYES, D. M., and MELROSE, J. R.: Percolation cluster statistics of Lennard-Jones fluids, 1057
HOLOVKO, M. F., and KALYUZHNIJ, YU. V.: Screened potentials of the site–site ion–molecular model. The mean spherical approximation, 375
HOWE, M. A., WORMALD, C. J., and NEILSON, G. W.: The structure of the molecular liquids carbon monoxide (CO) and nitric oxide (NO) as determined by neutron scattering, 847
HUET, T. R., *see* Herman, M.
HUNTER, I. N., MATTHEWS, G. P., and SMITH, E. B.: Viscosities of gaseous argon–hydrogen mixtures, 887

IEVLEVA, L. D., *see* Vetchinkin, S. I.

JARVIS, R. D., and GRICE, R.: Angular distributions of reactive scattering arising from persistent complexes with oblate symmetric top transition states, 675
JOSLIN, C. G., and GRAY, C. G.: Calculation of transport coefficients using a modified Mori formalism. II. The diffusion coefficient for a dilute gas of hard spheres, 757

KALYUZHNIJ, YU. V., *see* Holovko, M. F.
KARCH, R., *see* Kömel, C.
KATÔ, H., *see* Katō, T.
KATŌ, T., and KATÔ, H.: Raman band shapes and the dynamics of liquid N_2O_4, 1183
KEANE, N. W., *see* Firth, N. C.
KETO, J. W., *see* Borysow, J.
KHLESKOV, V. I., *see* Oshtrakh, M. I.
KIRBY, A. F., *see* Berry, M. T.
KLEIN, D. J., *see* Posthusta, R. D.
KOLAFA, J., and NEZBEDA, I.: Implementation of the Dahl–Anderson–Wertheim theory for realistic water–water potentials, 87
KÖMEL, C., AHLRICHS, R., and KARCH, B.: MD simulations of liquid CCl_4 with a new pair potential, 1015

LAMBERT, R. M., *see* Broomfield, K.
LANG, E. W., *see* Speedy, R. J.
LASNE, M. C., *see* Wlodarczak, G.
LATTANZI, F., DI LAURO, C. M., and GUELACHVILI, G.: Rotational analysis and anomalous intensity patterns of the 2430 to 2770 cm^{-1} infrared spectrum of CH_3I, 509
LATTANZI, F., DI LAURO, C. M., HENRY, L., VALENTIN, A., and BÜRGER, H.: The high resolution Fourier transform infrared spectrum of $H_3^{70}Ge^{35}Cl$ from 2000 to 2250 cm^{-1}, 1027
LAZZERETTI, P., ZANASI, R., and RAYNES, W. T.: Carbon–proton and proton–proton spin–spin coupling surfaces for the methane molecule, 831
LEFEBVRE, R., and CHILD, M. S.: Semi-classical analysis of the stabilization method applied to tunnelling and curve crossing, 1215
LEHMANN, K. K.: Beyond the x–K relations. Calculations of 1–1 and 2–2 resonance constants with application to HCN and DCN, 1129
LI LI, QINGSHI ZHU, and FIELD, R. W.: The hyperfine structure of the Na_2 $4\,^3\Sigma_g^+$ state, 685
LOTFI, A., and FISCHER, J.: Chemical potentials of model and real dense fluid mixtures from perturbation theory and simulations, 199
LUCKHAUS, D., *see* Ross, A. J.
LUCKHURST, G. R., *see* Heaton, N. J.
LÜDEMANN, H.-D., *see* Speedy, R. J.

MCCOURT, F. R. W., *see* Wing-Ki Liu
MCCOURT, F. R. W., *see* Wong, C. C. K.
MCMAHON, P. D.: The effects of three-body dispersion interactions on liquid–liquid phase equilibrium, 647
MCNAB, I. R., *see* Carrington, A.
MAGAZÚ, S., MAJOLINO, D., MALLAMACE, F., MIGLIARDO, P., ALIOTTA, F., VASI, C., D'APRANO, A., and DONATO, D. I.: Velocity and damping of thermal phonons in isomeric alcohols, 819
MAJOLINO, D., *see* Magazú, S.
MAKAREWICZ, J.: Reduced density matrices and reduced local operators for a rotating–vibrating molecule, 113
MALLAMACE, F., *see* Magazú, S.
MANN, M. E., MARSHALL, C. H., and HAYMET, A. D. J.: Nematic liquid crystals. A Monte Carlo simulation study in higher dimensions, 493
MARSHALL, C. H., *see* Mann, M. E.
MATTHEWS, G. P., *see* Hunter, I. N.
MELROSE, J. R., *see* Heyes, D. M.
MELROSE, J. R., and SINGER, K.: An investigation of supercooled Lennard-Jones argon by quantum mechanical and classical Monte Carlo simulation, 1203
MERCHÁN, M., *see* Garcia-Cuesta, I.
MERLO, V., *see* Andreani, C.
MICHELS, J. P. J., *see* Smit, B.

MIGLIARDO, P., *see* Magazú, S.
MILLER, S., TENNYSON, J., and SUTCLIFFE, B. T.: First principles calculation of rotational and ro-vibrational line strengths. Spectra for H_2D^+ and D_2H^+, 429
MIRALLES-SABATER, J., *see* Garcia-Cuesta, I.
MITTAG, U., SAMIOS, J., and DORFMÜLLER, TH.: Molecular dynamics simulation of the liquid mixture CCl_4/CS_2. I. Thermodynamic and structural properties, 51
MOISEYEV, N., *see* Engdahl, E.
MONTGOMERIE, C. A., *see* Carrington, A.
MORADI, M., and RICKAYZEN, G.: The structure of a hard sphere fluid mixture confined to a slit, 143
MORALDI, M., *see* Dore, P.
MOSS, R. E., and SADLER, I. A.: Transformed hamiltonian theory for HD^+, 591

NATANSON, G. A.: The Eckart-frame hamiltonian of a triatomic molecule in terms of the bond lengths and the intrabond angle, 129
NEBOT-GIL, I., *see* Garcia-Cuesta, I.
NEILSON, G. W., *see* Howe, M. A.
NEZBEDA, I., *see* Kolafa, J.
NICKEL, B. G., *see* Basile, A. G.
NORMAN, J. B., CROSS, K. J., SCHWEDA, H. S., POLAK, M., and FIELD, R. W.: The CaO $c\,^3\Sigma^+ - a\,^3\Pi_i$ (0,0) band. The key to the orange system and the global electronic structure of CaO, 235

OSHEROV, V. I., POLUYANOV, L. V., and VORONIN, A. I.: Quantum and semiclassical dynamics of quasilinear triatomic system near the adiabatic term intersection point of $\Sigma^+ = \Pi = \Sigma^-$ type, 1041
OSHTRAKH, M. I., SEMIONKIN, V. A., BURYKIN, B. N., and KHLESKOV, V. I.: Interpretation of Mössbauer spectra of deoxyhaemoglobin taking into account the non-equivalence of the Fe^{2+} electronic structure in different subunits, 531

PERRAM, J. W., *see* Petersen, H. G.
PETERSEN, H. G., DE LEEUW, S. W., and PERRAM, J. W.: Applied field simulations of Stockmayer fluids, 637
PEYERIMHOFF, S. D., *see* Anglada, J.
PIECUCH, P.: Spherical tensor theory of long-range interactions in a system of N arbitrary molecules including quantum-mechanical many-body effects, 805
POLAK, M., GRUEBELE, M., DEKOCK, B. W., and SAYKALLY, R. J.: Velocity modulation infrared laser spectroscopy of molecular ions. The ν_4 band of ammonium, 1193
POLAK, M., *see* Norman, J. B.
POLL, J. D., *see* Basile, A. G.
POLL, J. D., *see* Dore, P.
POLL, J. D., *see* Wolniewicz, L.
POLUYANOV, L. V., *see* Osherov, V. I.
POPOV, A. F., *see* Vetchinkin, S. I.
PORCHER, P., *see* Bailleul, S.
POSHUSTA, R. D., SCHMALZ, T. G., and KLEIN, D. J.: Heisenberg-model cluster expansion for half-filled Hubbard and PPP models, 317
POWLES, J. G., WILLIAMS, M. L., and EVANS, W. A. B.: The dynamic dielectric constant of an inhomogeneous polar liquid: direct approach from simulation, 1107
PRIELMEIER, F. X., *see* Speedy, R. J.

QINGSHI ZHU, *see* Li Li
QUACK, M., *see* Ross, A. J.

RADLOFF, C., and ERNST, R. R.: Spin topology filtration in N.M.R., 161
RAYNES, W. T., *see* Lazzeretti, P.
REYNHARDT, E. C., and FRONEMAN, S.: ^{1}H, ^{23}Na, and ^{31}P N.M.R. in the disodium salt of glucose 1-phosphate, 921
RHYKERD, C. L., Jr., *see* Schoen, M.
RICCI, M. A., *see* Andreani, C.
RICHARDSON, F. S., *see* Berry, M. T.
RICKAYZEN, G., *see* Moradi, M.
RIGBY, M.: Hard ellipsoids of revolution. Virial coefficients for prolate and oblate molecules, 1261
RIJKS, W., GERRITSEN, M., and WORMER, P. E. S.: Computation of the short range repulsion energy from correlated monomer wavefunctions in van der Waals dimers containing He, Ne, and N_2, 929
ROSS, A. J., AMREIN, A., LUCKHAUS, D., and QUACK, M.: The rotational structure of the ν_4-band of $CH^{35}ClF_2$, 1273
ROSS, R. G., *see* Andersson, O.
ROOT, A., *see* Harris, R. K.

SADLER, I. A., *see* Moss, R. E.
SAMIOS, J., *see* Mittag, U.
SÁNCHEZ-DE-MERÁS, A. M., *see* Garcia-Cuesta, I.
SANTOS, A., *see* Castaño, F.
SAYKALLY, R. J., *see* Polak, M.
SCHLEGEL, H. B., *see* Gonzales, C.
SCHMALZ, T. G., *see* Poshusta, R. D.
SCHOEN, M., RHYKERD, C. L., Jr., CUSHMAN, J. H., and DIESTLER, D. J.: Slit-pore sorption isotherms by the grand-canonical Monte Carlo method. Manifestations of hysteresis, 1171
SCHWEDA, H. S., *see* Norman, J. B.
SEMIONKIN, V. A., *see* Oshtrakh, M. I.
SINGER, K., *see* Melrose, J. R.
SMIT, B., COX, K. R., and MICHELS, J. P. J.: The influence of the quality of the solvent on the properties of a polymer. A thermodynamic model and molecular dynamics calculations, 97
SMITH, D. J., *see* Firth, N. C.
SMITH, E. B., *see* Hunter, I. N.
SPEEDY, R. J., PRIELMEIER, F. X., VARDAG, T., LANG, E. W., and LÜDEMANN, H.-D.: Diffusion in simple fluids, 577
STEINER, E., *see* Fowler, P. W.
STELL, G., *see* Zhou, Y.
SUTCLIFFE, B. T., *see* Miller, S.

TEMME, F. P.: Symmetry-adapted bases over Liouville space. V. $[A]_4$ ($I_i \geqslant 1$) related spin systems: Generation of the $|IM\alpha, \mu(\mathscr{S}_4)\rangle$ and $|kqv; \mu(\mathscr{S}_4)\rangle\rangle$ sets from the combinatorics of weight sets $(M_1 - M_4)$, 1075
TENNYSON, J., *see* Miller, S.
THOMPSON, S. M., *see* Cooney, W. R.
TUTCHER, B., *see* Ashfold, M. N. R.

UMANSKII, I. M., *see* Vetchinkin, S. I.

VALENTIN, A., *see* Lattanzi, F.
VAN DER LUGT, W., *see* van der Marel, C.
VAN DER MAREL, C., BRAS, W., and VAN DER LUGT, W.: X-ray diffraction measurement on liquid iodine and some dilute mixtures of KI in I_2 (erratum), 863

VARDAG, T., *see* Speedy, R. J.
VASI, C., *see* Magazú, S.
VERGÈS, J., *see* Gustavsson, T.
VERVLOET, M., *see* Herman, M.
VETCHINKIN, S. I., BAKHRAKH, V. L., and UMANSKII, I. M.: Two-photon multiterm nonadiabatic transitions. I. WKB theory of resonance Raman scattering, 1139
VETCHINKIN, S. I., BAKHRAKH, V. L., IEVLEVA, L. D., and POPOV, A. F.: Two-photon multiterm nonadiabatic transitions. I. The resonance Raman scattering via the predissociated state, 1157
VOLD, R. L., *see* Greenfield, M. S.
VOLD, R. R., *see* Greenfield, M. S.
VORONIN, A. I., *see* Osherov, V. I.

WELLS, B. H., and WILSON, S.: van der Waals interaction potentials. Many-body effects in Ne_4, 457
WESTERN, C. M., *see* Ashfold, M. N. R.
WHITE, J. W., and WIELOPOLSKI, P. A.: Effects of substrate potential on structure and dynamics of stage-3 graphite intercalated caesium (erratum), 537
WIELOPOLSKI, P. A., *see* White, J. W.
WILLIAMS, M. L., *see* Powles, J. G.
WILSON, S., *see* Wells, B. H.
WIMPERIS, S., and BODENHAUSEN, G.: Relaxation-allowed cross-peaks in two-dimensional N.M.R. correlation spectroscopy, 897
WING-KI LIU, MCCOURT, F. R. W., and DICKINSON, A. S.: Quantum and classical mechanical calculations of transport-relaxation cross sections for the HD–He interaction, 565
WLODARCZAK, G., DEMAISON, J., BURIE, J., and LASNE, M. C.: The rotational constants of acetylene-d, 669
WOLNIEWICZ, L., and POLL, J. D.: On the higher vibration–rotational levels of HD^+ and H_2^+ (erratum), 701
WONG, C. C. K., MCCOURT, F. R. W., and DICKINSON, A. S.: A comparison between classical trajectory and infinite-order sudden calculations of transport and relaxation cross sections for N_2–Ne mixtures, 1235
WORMALD, C. J., *see* Howe, M. A.
WORMER, P. E. S., *see* Rijks, W.

ZANASI, R., *see* Lazzeretti, P.
ZHOU, Y., and STELL, G.: Fluids inside a pore—an integral-equation approach. I. General formalism and hard spheres inside spherical and slit pores, 767
ZHOU, Y., and STELL, G.: Fluids inside a pore—an integral-equation approach. II. Cylindrical pores, 791